

Installation Instructions

Eibach Springs, Inc. • 264 Mariah Circle • Corona, California 92879-1751 • USA • Tech Support 800-222-8811 Ext 114

Camber Plates, Kit # 5.10003K

2005-14 Ford Mustang, with 2.5" ID ERS

Kit Contents	Description	Part Number	Qty
	Camber Plates	8000919	2
	Washer	UB0145	2

**5.10003K can only be used with 2.5" ID ERS springs
Total camber adjustment range is 3 degrees**





NOTES: Read All Instructions Before Beginning Installation

- Only qualified mechanics experienced in the installation and removal of suspension components should perform this installation.
- Use of a hoist and screw jack is highly recommended and will substantially reduce installation time.
- Never work on or under a vehicle unless it is properly supported by safety stands and wheels are blocked.
- **Tire Rotation:** In order to increase the life of your tires, it is recommended to rotate your tires every 3,000 miles.
- **After** installation, it is always important to inspect and adjust the following if necessary:
 - Wheel alignment such as camber, caster & toe.
 - Tire and/or wheel fender clearance.
 - Brake line clearance and attachments.
 - Brake anti-locking and anti-skid system sensors.

Additional Eibach Components Available For Your Car

Eibach Kits	Part Number	Description	Front	Rear
<i>Multi Pro R1</i>	Call	Single Adjustable Performance Coilovers	1.2-2.3"	1.4-2.1"
<i>Multi Pro R2</i>	Call	Double Adjustable Performance Coilovers	1.2-2.3"	1.4-2.1"
<i>Anti Roll Kit</i>	Call	Reduce Body Roll	35-36mm	22-25mm

Camber Adjustment

Slide outboard or towards the wheel for positive adjustment and slide inboard or towards the engine for negative adjustment. Total adjustment range is 3 degrees

